



BASE ONLY PRICING

2023

**WEST
COAST
INDUSTRIES**

BASE ONLY LIST PRICING

Base	Code	Base Model #	Price	Base Size*	Base Style	Col. Dia.	Base Weight Lbs.	
Alumiline	AL	AL2626X	641	26" x 26"	X	2.5"	20	
		AL3232X	803	32" x 32"	X	2.5"	22	
		AL3939X	1,168	39" x 39"	X	3"	30	
		AL26T	507	26"	T	2.5"	22	
Basic Round	BA	BA17L	258	17" dia.	Round	3"	29	
		BA17M	314	17" dia.	Round	3"	41	
		BA17H	366	17" dia.	Round	3"	45	
		BA20L	339	20" dia.	Round	3"	44	
		BA20M	366	20" dia.	Round	3"	51	
		BA20H	-	20" dia.	Round	3"	57	
		BA22L	357	22" dia.	Round	3"	50	
		BA22M	420	22" dia.	Round	3"	58	
		BA22H	482	22" dia.	Round	3"	65	
		BA28H	712	28" dia.	Round	3.5"	80	
Bolt Down	J Base	JB	JB	392	3" dia.	Boltdown	3"	10
Brae	BR	BR18	775	18"	RD Square	2"	46	
		BR22	1,061	22"	RD Square	2"	65	
		BR26	1,284	26"	RD Square	3"	97	
Brae Double	BRD	BRD1826	1,404	18" x 26"	RD Rectangle	2"	75	
Disc	DI	DI18	775	18" dia	Round	2"	38	
		DI22	1,061	22" dia	Round	2"	62	
		DI26	1,284	26" dia	Round	3"	77	
Dunhill	DU	DU1818X	839	18" x 18"	X	2.25"	18	
		DU2424X	959	24" x 24"	X	2.25"	25	
		DU3030X	1,077	30" x 30"	X	2.5"	34	
		DU3636X	1,195	36" x 36"	X	3"	42	
		DU3636XH	1,309	36" x 36"	XH	3"	50	
		DU18T	493	18"	T	2"	30	
		DU24T	548	24"	T	2.25"	34	
		DU30T	606	30"	T	2.25"	40	
		DU30TT	707	30"	TT	2.25"	44	
		DU36TT	763	36"	TT	2.25"	62	
Flat Round	FR	FR18	660	18" dia.	Round	3"	46	
		FR22	874	22" dia.	Round	3.5"	70	
		FR26	1,052	26" dia.	Round	3.5"	84	

Continued on next page

Continued on next page

*Base sizes may vary depending on weight of top

**Polished/Satin Aluminum only available on Alumiline and Mark IV series
Polished/Satin Chrome upcharge priced per column

***Custom Powder Coat upcharge applied per order

BASE ONLY FINISH UPCHARGES

	Black Wrinkle	Powder Coat	Satin/Polished Chrome/Alu.**	Premium Plated	Custom PowderCoat***	Stainless Steel
- standard			176	N/A	☉	N/A
- standard			176	N/A	☉	N/A
- standard			176	N/A	☉	N/A
- standard			87	N/A	☉	N/A
standard	127	127	275	550	☉	N/A
standard	127	127	275	550	☉	N/A
standard	127	127	275	550	☉	N/A
standard	127	127	275	550	☉	N/A
standard	127	127	275	550	☉	N/A
standard	127	127	275	550	☉	N/A
standard	127	127	275	550	☉	N/A
standard	127	127	275	550	☉	N/A
- standard			88	138	☉	1,650
- standard			660	1,430	☉	1,650
- standard			660	1,430	☉	1,650
- standard			660	1,430	☉	1,650
- standard			770	1,540	☉	1,650
- standard			660	1,430	☉	1,650
- standard			660	1,430	☉	1,650
- standard			660	1,430	☉	1,650
- standard			413	715	☉	1,650
- standard			413	715	☉	1,650
- standard			413	715	☉	1,650
- standard			413	715	☉	1,650
- standard			207	385	☉	1,650
- standard			207	385	☉	1,650
- standard			207	385	☉	1,650
- standard			207	385	☉	1,650
- standard			207	385	☉	1,650
- standard			207	385	☉	1,650
- standard			275	550	☉	1,650
- standard			275	550	☉	1,650
- standard			275	550	☉	1,650

Base Options

Alternate Height		
Counter, Bar, & Alternative Height	CH, BH, & AH	76
Glides		
Super Level	GSL	40
Castors		
Locking Casters 2" Twin Wheel (qty. 4)	TWC2	65
(Dunhill, Mark IV, Post Leg, Slimline, Tuscan)		
Locking Casters 3" Mag Wheel (qty. 4)	MWC3	193
(Vista)		
Top Plate		
Custom Top Plate Size	CTPS	☉
6" Column (Basic Round, Disc, or Flat Round)		
6" Column (black texture and powder coat)	COL6	224
6" Column (polished or satin chrome)	COLP6	286
6" Column (premium plated)	COLPP6	☉
6" Column (veneer)	COLV6	446
Footring (Basic Round, Flat Round, Boltdown, Disc, or Platform)		
Footring 14" (per base)	FO14	254
Footring 19" (per base)	FO19	286
Footring Finish: Polished or Satin Chrome only		
Outdoor Use		
Outdoor Undercoat (includes GSL)	OD	82
Tilt-Top		
Tilt-top - (standard cable release) TMX/TMT	284 X-base / 439 T-base	
For use on table bases with up to a 2.5" column diameter.		
The cable release mechanism activates both mechanisms on a table with		
two single column T-bases. It is not available on TT bases.		

☉ Call for pricing 844.815.2217

BASE ONLY LIST PRICING

Base	Code	Base Model #	Price	Base Size*	Base Style	Col. Dia.	Base Weight Lbs.
Mark IV	MA	MA2424X	606	24" x 24"	X	2"	10
		MA3030X	784	30" x 30"	X	2"	18
		MA3636X	961	36" x 36"	X	3"	24
		MA27V	571	27"	V	2"	26
		MA18T	473	18"	T	2"	20
		MA30T	650	30"	T	2"	28
Platform	PL	PL18	775	18" square	Sq.	2" Square	46
		PL22	1,061	22" square	Sq.	2" Square	65
		PL26	1,284	26" square	Sq.	3" Square	97
		PL1826	1,404	18" x 26"	Rectangle	2" Square	75
Platform Double	PLD	PL1826	1,404	18" x 26"	Rectangle	2" Square	75
Plus	PU	PU1818X	839	18" x 18"	X	2.25"	18
		PU2424X	959	24" x 24"	X	2.25"	25
		PU3030X	1,077	30" x 30"	X	3"	34
		PU3636X	1,195	36" x 36"	X	3"	42
		PU3636XH	1,309	36" x 36"	XH	3"	50
		PU18T	493	18"	T	2"	30
		PU24T	548	24"	T	2.25"	34
		PU30T	606	30"	T	2.25"	40
		PU30TT	707	30"	TT	2.25"	44
		PU36TT	763	36"	TT	2.25"	62
Post Leg	PO	PO1.5	258	1.5" dia.	Post	1.5"	4
		PO2.5	276	2.5" dia.	Post	2.5"	6
		PO3	293	3" dia.	Post	3"	7
Regency	RG	RG2424X	1,533	24" x 24"	X -bar size 1/2"	2.5"	18
		RG3030X	1,660	30" x 30"	X -bar size 1/2"	2.5"	22
		RG3636X	3,529	36" x 36"	X -bar size 1"	3.5"	60
		RG4848X	4,458	48" x 48"	X -bar size 1"	3.5"	86
		RG2142S	4,636	21" x 42"	Scissor -bar size 1"	3.5"	84
		RG2448S	4,813	24" x 48"	Scissor -bar size 1"	3.5"	85
Slimline	SL	SL1818X	589	18" x 18"	X	1.75"	14
		SL2424X	686	24" x 24"	X	1.75"	15
		SL3030X	784	30" x 30"	X	1.75"	16
		SL3636X	935	36" x 36"	X	3.5"	21
		SL18T	401	18"	T	1.75"	23
		SL24T	428	24"	T	1.75"	25
		SL30T	491	30"	T	1.75"	26
		SL30TT	598	30"	TT	1.75"	32
		SL36TT	660	36"	TT	1.75"	33

Continued on next page

*Base sizes may vary depending on weight of top

**Polished/Satin Aluminum only available on Alumiline and Mark IV series

***Custom Powder Coat upcharge applied per order

BASE ONLY FINISH UPCHARGES

	Black Wrinkle	Powder Coat	Satin/Polished Chrome/Alu.**	Premium Plated	Custom PowderCoat***	Stainless Steel
- standard			176	N/A	N/A	N/A
- standard			176	N/A	N/A	N/A
- standard			176	N/A	N/A	N/A
- standard			87	N/A	N/A	N/A
- standard			87	N/A	N/A	N/A
- standard			87	N/A	N/A	N/A
- standard			660	1,430	☉	1,650
- standard			660	1,430	☉	1,650
- standard			660	1,430	☉	1,650
- standard			660	1,430	☉	1,650
- standard			770	1,540	☉	1,650
- standard			413	715	☉	1,650
- standard			413	715	☉	1,650
- standard			413	715	☉	1,650
- standard			413	715	☉	1,650
- standard			413	715	☉	1,650
- standard			207	385	☉	1,650
- standard			207	385	☉	1,650
- standard			207	385	☉	1,650
- standard			207	385	☉	1,650
- standard			88	138	☉	1,650
- standard			88	138	☉	1,650
- standard			88	138	☉	1,650
- standard			825	1,650	☉	N/A
- standard			825	1,650	☉	N/A
- standard			825	1,650	☉	N/A
- standard			825	1,650	☉	N/A
- standard			825	1,650	☉	N/A
- standard			825	1,650	☉	N/A
- standard			413	715	☉	N/A
- standard			413	715	☉	N/A
- standard			413	715	☉	N/A
- standard			413	715	☉	N/A
- standard			207	385	☉	N/A
- standard			207	385	☉	N/A
- standard			207	385	☉	N/A
- standard			207	385	☉	N/A
- standard			207	385	☉	N/A

Base Options

Alternate Height		
Counter, Bar, & Alternative Height	CH, BH, & AH	76
Glides		
Super Level	GSL	40
Casters		
Locking Casters 2" Twin Wheel (qty. 4)	TWC2	65
(Dunhill, Mark IV, Post Leg, Slimline, Tuscan)		
Locking Casters 3" Mag Wheel (qty. 4)	MWC3	193
(Vista)		
Top Plate		
Custom Top Plate Size	CTPS	☉
6" Column (Basic Round, Disc, or Flat Round)		
6" Column (black texture and powder coat)	COL6	224
6" Column (polished or satin chrome)	COLP6	286
6" Column (premium plated)	COLPP6	☉
6" Column (veneer)	COLV6	446
Footring (Basic Round, Flat Round, Bolt-down, Disc, or Platform)		
Footring 14" (per base)	FO14	254
Footring 19" (per base)	FO19	286
Footring Finish: Polished or Satin Chrome only		
Outdoor Use		
Outdoor Undercoat (includes GSL)	OD	82
Tilt-Top		
Tilt-top - (standard cable release) TMX/TMT	284 X-base / 439 T-base	
For use on table bases with up to a 2.5" column diameter.		
The cable release mechanism activates both mechanisms on a table with		
two single column T-bases. It is not available on TT bases.		

☉ Call for pricing

844.815.2217

BASE ONLY LIST PRICING

Base	Code	Base Model #	Price	Base Size*	Base Style	Col. Dia.	Base Weight Lbs.
Spacesaver	SV	SV2222X	233	22" x 22"	X	3"	20
		SV3030X	268	30" x 30"	X	3"	24
		SV3636X	472	36" x 36"	X	3.5"	35
		SV2430EX	285	24" x 30"	EX	3"	25
		SV18T	162	18"	T	3"	22
		SV22T	187	22"	T	3"	24
Tulip	TL	TL18L	955	18" dia.	Round	2"	35
		TL18M	1,042	18" dia.	Round	2"	45
		TL18H	1,155	18" dia.	Round	2"	55
		TL24M	1,217	24" dia.	Round	2.25"	55
		TL24H	1,402	24" dia.	Round	2.25"	65
		TL24XH	1,456	24" dia.	Round	2.25"	75
Tuscan	TU	TU1818X	579	18" x 18"	X	2"	17
		TU2424X	677	24" x 24"	X	2"	20
		TU3030X	802	30" x 30"	X	2"	23
		TU3636X	926	36" x 36"	X	3"	24
		TU18T	357	18"	T	2"	16
		TU24T	420	24"	T	2"	18
		TU30T	472	30"	T	2"	20
		TU30TT	579	30"	TT	2"	29
		TU36TT	641	36"	TT	2"	32

BASE ONLY FINISH UPCHARGES

	Black Wrinkle	Powder Coat	Satin/Polished Chrome/Alu.**	Premium Plated	Custom PowderCoat***	Stainless Steel
standard	128	-	N/A	☉	N/A	
standard	128	-	N/A	☉	N/A	
standard	128	-	N/A	☉	N/A	
standard	128	-	N/A	☉	N/A	
standard	64	-	N/A	☉	N/A	
standard	64	-	N/A	☉	N/A	
- standard		275	550	☉	1,650	
- standard		275	550	☉	1,650	
- standard		275	550	☉	1,650	
- standard		275	550	☉	1,650	
- standard		275	550	☉	1,650	
- standard		413	715	☉	N/A	
- standard		413	715	☉	N/A	
- standard		413	715	☉	N/A	
- standard		413	715	☉	N/A	
- standard		207	385	☉	N/A	
- standard		207	385	☉	N/A	
- standard		207	385	☉	N/A	
- standard		207	385	☉	N/A	

Base Options

Alternate Height		
Counter, Bar, & Alternative Height	CH, BH, & AH	76
Glides		
Super Level	GSL	40
Casters		
Locking Casters 2" Twin Wheel (qty. 4) (Dunhill, Mark IV, Post Leg, Slimline, Tuscan)	TWC2	65
Locking Casters 3" Mag Wheel (qty. 4) (Vista)	MWC3	193
Top Plate		
Custom Top Plate Size	CTPS	☉
6" Column (Basic Round, Disc, or Flat Round)		
6" Column (black texture and powder coat)	COL6	224
6" Column (polished or satin chrome)	COLP6	286
6" Column (premium plated)	COLPP6	☉
6" Column (veneer)	COLV6	446
Footring (Basic Round, Flat Round, Bolt-down, Disc, or Platform)		
Footring 14" (per base)	FO14	254
Footring 19" (per base)	FO19	286
Footring Finish: Polished or Satin Chrome only		
Outdoor Use		
Outdoor Undercoat (includes GSL)	OD	82
Tilt-Top		
Tilt-top - (standard cable release) TMX/TMT 284 X-base / 439 T-base		
For use on table bases with up to a 2.5" column diameter.		
The cable release mechanism activates both mechanisms on a table with		
two single column T-bases. It is not available on TT bases.		

☉ Call for pricing

844.815.2217

*Base sizes may vary depending on weight of top

**Polished/Satin Aluminum only available on Alumiline and Mark IV series

***Custom Powder Coat upcharge applied per order

